

04/01/99



jc584 U.S. PTO

Please type a plus sign (+) inside this box → ☐ +
 PTO/SB/05 (4/98)
 Approved for use through 09/30/2000. OMB 0651-0032
 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
 Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No. Y0999-039 (8728-254)

First Inventor or Application Identifier Challenger

Title Method and System for Publishing ...

Express Mail Label No. EL192802992US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. ☒ * Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages 32]
(preferred arrangement set forth below)
 - Descriptive title of the invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the invention
 - Brief Summary of the invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 4]
4. Oath or Declaration [Total Pages]
 - a. ☐ Newly executed (original or copy)
 - b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))
(for continuation/divisional with Box 16 completed)
 - i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

ADDRESS TO:

 Assistant Commissioner for Patents
 Box Patent Application
 Washington, DC 20231

5. ☐ Microfiche Computer Program (Appendix)
6. Nucleotide and/or Amino Acid Sequence Submission:
(if applicable, all necessary)
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

7. ☐ Assignment Papers (cover sheet & document(s))
8. ☐ 37 C.F.R. § 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)
9. ☐ English Translation Document (if applicable)
10. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
11. ☐ Preliminary Amendment
12. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
13. ☐ Small Entity Statement(s) ☐ Statement filed in prior application, Status still proper and desired
(PTO/SB/09-12)
14. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
15. ☒ Other: Associate Power of Attorney

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: _____

Prior application information: Examiner _____ Group / Art Unit: _____

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here) or ☐ Correspondence address below

Name	James J. Bitetto			
Address	F. Chau & Associates, LLP 1900 Hempstead Turnpike, Suite 501			
City	East Meadow	State	New York	Zip Code 11554
Country	USA	Telephone	(516) 357-0091	Fax (516) 357-0092

Name (PrintType)	James J. Bitetto	Registration No. (Attorney/Agent)	40,513
Signature	<i>James J. Bitetto</i>	Date	4/1/99

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Assistant Commissioner for Patents
Washington, D.C. 20231
Sir:

ATTORNEY DOCKET NO. YO999-039 (8728-254)
Date: March 26, 1999
Express Mail Label: EL192802992US
Date of Deposit: March 26, 1999

jc534 U.S. PTO
04/01/99

Transmitted herewith for filing is the Patent Application of:

Inventors: James R. Challenger, Cameron Ferstat, Arun K. Ivengar, Paul Reed, Gerald A. Spivak, Karen A. Witting
For: METHOD AND SYSTEM FOR PUBLISHING DYNAMIC WEB DOCUMENTS

Enclosed are: [X] 22 sheets of specification; [X] 2 sheet(s) of Abstract; [X] 8 sheet(s) of claims; [X] 4 sheet(s) of drawing(s);

- [] An assignment of the invention to International Business Machines Corporation with Recordation Form.
[] Declaration and Power of Attorney.
[] A certified copy of a _____ application, from which priority under Title 35 USC §119 is claimed.
[X] Associate Power of Attorney.

The filing fee has been calculated as shown below:

	(Col. 1)	(Col. 2)
FOR:	NO. FILED	NO. EXTRA
BASIC FEE		
TOTAL CLAIMS	22 -20 =	2
INDEP CLAIMS	5 -3 =	2
___ MULTIPLE DEPENDENT CLAIMS PRESENTED		

OTHER THAN A
SMALL ENTITY

RATE	FEE
	\$760.00
X \$18 =	\$ 36.00
X \$78 =	\$156.00
+ 260 =	
TOTAL	\$952.00

If the difference in Col. 1 is less than zero, enter "0" in Col. 2.

- [] Checks in the amount of \$_____ and \$_____ to cover the filing fee(s) and recording fee are enclosed.
[X] Please charge my Deposit Account No. 50-0510/IBM (Yorktown Heights) in the amount of \$952.00.
[X] The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 50-0510/IBM (Yorktown Heights). **A duplicate copy of this sheet is enclosed.**
[X] Any additional filing fees required under 37 CFR 1.16.
[X] Any patent application processing fees under 35 CFR 1.17.

Respectfully submitted,
By: James J. Bitetto
Registration No. 40,513
Attorney for:
IBM Corporation
Intellectual Property Law Dept.
P.O. Box 218
Yorktown Heights, NY 10598

Please address all
correspondence to:
F. CHAU & ASSOCIATES, LLP
1900 Hempstead Turnpike, Suite 501
East Meadow, NY 11554
Tel: (516) 357-0091
Fax: (516) 357-0092

CERTIFICATION UNDER 37 C.F.R. § 1.10

I hereby certify that this Application transmittal and the documents referred to as enclosed are being deposited with the United States Postal Service on this date March 26, 1999 in an envelope as "Express Mail Post Office to Addressee" Mailing Label Number EL192802992US addressed to: Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231.

James J. Bitetto

U.S. Patent Application:

Title: METHOD AND SYSTEM FOR PUBLISHING DYNAMIC WEB
DOCUMENTS

Inventors: James R. Challenger, Cameron Ferstat,
Arun K. Iyengar, Paul Reed, Gerald A. Spivak,
Karen A. Witting

Filed: April 1, 1999

F. CHAU & ASSOCIATES, LLP
1900 Hempstead Turnpike, Suite 501
East Meadow, New York 11554
Tel.: (516) 357-0091
Fax : (516) 357-0092

METHOD AND SYSTEM FOR PUBLISHING

DYNAMIC WEB DOCUMENTS

BACKGROUND OF THE INVENTION

5

1. Field of the Invention

The present invention relates to computerized publication of documents, and more particularly to a method for publishing documents on the World Wide Web.

10

2. Description of the Related Art

Web sites often present content which is constantly changing. Presenting current information to the outside world without requiring an inordinate amount of human effort and computing power is a major technical challenge to Web site designers.

15

Therefore, a need exists for a system and method for generating documents which result in more flexibility providing the capability for constant change to the documents. A further need exists for a method for permitting documents to include multiple fragments wherein

20

the fragments are dynamically updated in an optimal order to accommodate changes.

SUMMARY OF THE INVENTION

5 A method for constructing a plurality of objects, in accordance with the present invention includes the steps of providing a plurality of fragments, providing at least one fragment, determining an order for constructing objects based on at least one inclusion relationship between an
10 object and the at least one fragment and constructing the plurality of objects based on the at least one inclusion relationship and the determined order for constructing the objects.

15 A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for constructing a plurality of objects, the method steps include providing at least one fragment, determining an order for constructing objects based on at least one inclusion relationship between an
20 object and the at least one fragment and constructing the plurality of objects based on the at least one inclusion

relationship and the determined order for constructing the objects.

In alternate methods which may be implemented through a program storage device, the step of determining at least one inclusion relationship between the at least one fragment and the object may be included. The step of verifying one of an existence and a currency of a first object referenced by a second object may also be included. The step of delaying publication of the second object in response to the first object being one of non-existent and obsolete may be included. The steps of examining a plurality of constructed objects, rejecting at least one constructed object based on content and approving remaining constructed objects for publication may further be included. The objects preferably include Web pages and may further include the step of detecting broken hypertext links between Web pages. The steps of detecting changes to the objects and automatically updating the objects according to the order may also be included.

A system for constructing a plurality of objects, in accordance with the present invention, includes a content

authoring system for generating fragments and providing
include relationships between the fragments. A dependency
parser is included for receiving the fragments and parsing
the include relationships. A dependency analyzer is
5 provided for determining an efficient order for constructing
the plurality of objects from the fragments based on the
include relationships. A constructor constructs the
plurality of objects in the order determined by the
dependency analyzer.

10 In alternate embodiments, the dependency analyzer
preferably employs object dependence graphs to determine an
order for constructing the objects. The content authoring
system may include fragments input from humans, machines and
combinations of humans and machines. The system may further
15 include a consistency checker for delaying publication of
inconsistent objects. The system preferably constructs Web
pages and the consistency checker may further includes a
component for determining broken hypertext links between the
Web pages. The constructor may include a page constructor
20 for constructing Web pages from the plurality of objects.

Another method for constructing a plurality of objects, which may be implemented by employing a program storage device includes the steps of providing a plurality of fragments, determining an order for constructing objects based on at least one inclusion relationship between the plurality of fragments, and constructing the plurality of objects based on the at least one inclusion relationship and the determined order for constructing the objects.

These and other objects, features and advantages of the present invention will become apparent from the following detailed description of illustrative embodiments thereof, which is to be read in connection with the accompanying drawings.

BRIEF DESCRIPTION OF DRAWINGS

The invention will be described in detail in the following description of preferred embodiments with reference to the following figures wherein:

FIG. 1 is a block diagram for a system for constructing and publishing one or more servables in accordance with the present invention;

FIG. 2 is a block/flow diagram of a system/method for creating and publishing one or more servables in accordance with the present invention;

FIG. 3 is a block/flow diagram of a system/method for constructing one or more servables;

FIG. 4 is a flow diagram of another method for constructing and publishing one or more servables.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

The present invention provides a system and method for publishing documents, for example Web documents, which are constantly changing, i.e., dynamic. In a preferred embodiment of the present invention, compound Web pages are composed from fragments. A fragment is an object which is used to construct a compound object. An object is an entity which can either be published or is used to create something which is publishable. Objects include both fragments and compound objects. A compound object is an object constructed from one or more fragments. In response to a change in one or more fragments, the present invention detects which documents, such as, Web pages, are affected by

the change as well as an optimal order for constructing updated documents (pages).

Generating updated documents in response to changes is automated by a system which preferably includes software modules. Users are provided with an easy-to-use mechanism for specifying inclusion relationships among Web pages and fragments. The system then detects when updates need to take place and automatically updates and publishes pages in a computationally efficient manner. Generating pages may take place in several phases. For example, an initial content author may generate an initial set of pages. Subsequently, a second author may fill in additional information and make modifications to the content provided by the first author. Then, a proofreader/censor can verify that the contents are correct and proper before the pages or objects are published. Publishing an object means making it visible to a specific group of people (e.g. the public). Publishing is decoupled from creating or updating an object and generally takes place after the object has been created or updated.

The present invention further includes the capability to detect broken hypertext links and can delay publication of a page or object until all pages (or objects) referenced by the page which was delayed for publication are also published.

In accordance with the present invention, the authors specify inclusion relationships via a markup language. For example, a Web page p1 may include a fragment f1 which may in turn include another fragment f2. Suppose f2 is included in multiple Web pages. The present invention will only generate f2 one time regardless of how many times f2 is included in other pages thereby providing an efficient system. In addition, graph traversal algorithms ensure that f2 will be generated before all compound objects which include f2.

After the authors have specified inclusion relationships via the markup language for all pages the authors wish to publish, the pages are parsed to determine the inclusion relationships. This results in an object dependence graph (ODG). An object dependence graph (ODG) is a directed graph in which nodes/vertices correspond to

objects. ODG's may have one or more types of edges. For example, a dependence edge from a node corresponding to an object "a" terminating in a node corresponding to an object "b" indicates that a change to "a" also affects "b". ODG's are also described in a commonly assigned disclosure, U.S. Serial No. 08/905,114 incorporated herein by reference. The ODG is used for a number of things including but not limited to determining all of the objects affected by changes to underlying data and determining an optimal ordering for constructing objects after changes. Graph traversal algorithms are applied to the ODG to determine an optimal order for constructing compound objects from fragments.

If the authors are not satisfied with the results, the authors may make modifications to the pages and repeat this process until satisfied. Once the authors are satisfied, a set of objects may be passed on to a next group of authors who may modify content or add new content. After all the authors have finished with the Web pages, a censor or proofreader may make a final determination of which pages to publish and which pages to hold back. A quick publishing and censoring system and method which may be used is

described in "METHOD AND SYSTEM FOR RAPID PUBLISHING AND
CENSORING INFORMATION", Attorney docket number YO999-
040(8728-253), filed concurrently herewith, commonly
assigned and incorporated herein by reference.

5 The present invention further includes a component
which recognizes hypertext links in a page via parsing. The
component verifies that the hyperlinks are not broken. In
the event that a broken hyperlink is detected, there are
several options which may be set by users. These may
10 include the following:

- (1) ignore the broken hypertext link;
- (2) reject the page for publication and notify an
author of the reason for rejection;
- (3) automatically delete the broken hypertext link;
- 15 (4) delay publishing the page but retry periodically to
see if the hypertext links are fixed; and

 (5) if the hypertext link is to an unpublished object
on a local Web site, try to publish the referenced object.
This may include recursively making sure that there are no
20 broken hypertext links on the referenced object.

It should be understood that the elements shown in
FIGS. 1-4 may be implemented in various forms of hardware,
software or combinations thereof unless otherwise specified.
Preferably, these elements are implemented in software on
5 one or more appropriately programmed general purpose digital
computers having a processor and memory and input/output
interfaces. Referring now to the drawings in which like
numerals represent the same or similar elements and
initially to FIG. 1, a block diagram of a system 100 in
10 accordance with the present invention is shown for creating
and publishing one or more servables. A servable is a
complete entity which may be published. For example, a Web
page could be a servable at a Web site. A bundle is a set of
servables. In the present invention, servables belonging to
15 the same bundle are often published together.

In many cases, the publishing process is a continuous
one which iterates several times. After initialization, a
set of one or more servables may be visible to outside
viewers. If this is the case, authors use the system
20 depicted in FIG. 1 to modify objects which results in
changes to the servables visible to the outside viewers.

Authors 124 may include but are not limited to humans, machines, or some combination of humans and machines. Similarly, censors 128 may include but are not limited to humans, machines, or some combination of humans and machines. Censors 128 and authors 124 interact with the system as will be described herein.

A content authoring system 104 is included for authoring fragments, etc. for use with the present invention. Content authoring system 104 is preferably interactive with authors 124. A dependency parser 108 is included which examines objects for include directives and updates ODG's based on the include directives the dependency parser 108 identifies. A dependency analyzer 112 is also included which is invoked to determine a correct and efficient order for constructing multiple objects. A page constructor 116 is included which is invoked to construct updated versions of one or more objects from dependency analyzer 112. When a compound object is constructed, include directives referencing fragments are replaced by the actual fragments. If several objects are being constructed, the objects are constructed in the order determined by

dependency analyzer 112. A consistency checker 120 may be included in system 100 which may notify the author(s) 124 of one or more dangling references the consistency checker 120 detects within a servable. Appropriate actions may then be taken as will be described below.

Referring to FIG. 2, a block/flow diagram is shown for creating and publishing one or more servables. In block 210, at least one author 124 creates, deletes, and/or modifies one or more objects. Some of the objects may be compound objects which include fragments. Objects are specified in a markup language such as HTML, XML, etc. The representation of an object in a markup language is known as a template. A template is a representation of an object in a markup language such as HTML, XML, etc. The present invention permits authors 124 to specify inclusion relationships using special directives within a template. For example, suppose a compound object col is to include a fragment f1 (not shown). This may be specified by a directive of the following form in the template for col:

```
<!--#incl "f1" -->
```


In block 215, current versions of servables are constructed whose values may be affected by the editing changes in block 210. A preferred method of implementing block 215 is depicted in FIG. 3. Other methods may be used as well in accordance with the invention. In block 220, the author(s) 124 views one or more servables produced in block 215. If the author(s) 124 would like to make additional changes before publication, processing returns to block 210. If, on the other hand, the author 124 is satisfied with the servables, the author 124 selects a set of servables to be published in block 225 which are then sent to a censor(s) 128. This set of servables is known as a bundle as described above.

There are several methods by which the author(s) may select the servables to be published in block 225. These methods may preferably include selecting all servables which the system identifies in block 215 as having changed. This may be a default method which results in consistent publication. Different methods may also be used to select specific servables as well.

In block 230, one or more censors 128 examine the bundle to determine if it can be published in accordance with predetermined criteria or rules. The censor(s) 128 also attempts to catch mistakes and prevent objectionable material from being published. If the censor(s) 128 approves of the bundle, all servables in the bundle are published together in block 240. If the censor(s) 128 finds any servables which should not be published, the entire bundle is rejected and the author(s) 124 is notified in block 235. The author(s) 124 may then modify content as needed to fix the problems. If this course of action is followed, processing returns to block 210. The censor 128 will usually not reject some servables in a bundle but publish the remainder because this could result in the publication of inconsistent information.

The present invention has the ability to perform several of the functions in FIG. 2, concurrently. For example, different authors may be concurrently creating content. In addition, it is possible for several bundles to be awaiting approval by the censor(s) 128 in block 230. If two bundles are both awaiting approval by the censor(s) 128,

it is possible to combine the two bundles into a single
larger bundle. If the two bundles have different versions
of the same servable, the combined bundle will include the
later version of the servable in accordance with the
invention.

Referring to FIG. 3, a block/flow diagram of a
system/method for constructing one or more servables is
shown. The servables may include compound objects. The
servables are preferably represented by templates in a
markup language which specifies included fragments using
directives of the form described earlier. One key function
performed in FIG. 3 is construction of a representation of
compound objects which includes directives in templates
which are replaced by the actual fragments the directives
represent. In block 302, a plurality of information
fragments (or objects) are provided. In block 305, a
dependency parser is invoked on one or more objects. The
dependency parser determines inclusion relationships among
objects by searching for include directives in their
representations. A dependency analysis is performed in
block 310. There are several methods for implementing both

blocks 305 and 310. In a preferred method, include relationships are represented between objects using ODG's as described in "METHOD AND SYSTEM FOR EFFICIENTLY CONSTRUCTING AND CONSISTENTLY PUBLISHING WEB DOCUMENTS", Attorney docket number YO999-011(8728-255), filed concurrently herewith, commonly assigned and incorporated herein by reference. Using this preferred method, a dependency parser 108 (FIG. 1) examines objects for include directives in block 305 and updates ODG's based on the include directives dependency parser 108 identifies. In block 310, a dependency analyzer 112 (FIG. 1) is invoked to determine a correct and efficient order for constructing multiple objects. There are several methods for implementing block 310. A preferred method is described in "METHOD AND SYSTEM FOR EFFICIENTLY CONSTRUCTING AND CONSISTENTLY PUBLISHING WEB DOCUMENTS", previously incorporated herein by reference. This preferred method insures that fragments will be constructed before compound objects which include the fragments.

There may be relationships between objects in addition to relationships defined by inclusion. These relationships

may also be captured by the present invention as well. One method for representing such auxiliary relationships is by using multiple edge types in ODG's. Different edge types may be used to represent different types of relationships.

5 Graph traversal algorithms may be applied to the different edge types to determine changed objects based on the different relationships.

In block 315, a page constructor 116 (FIG. 1) is invoked to construct updated versions of one or more
10 objects. When a compound object is constructed, include directives referencing fragments are replaced by the actual fragments. If several objects are being constructed, the objects are constructed in an order (possibly a partial order) determined in block 310. Block 320 may optionally be
15 included in which a consistency checker 120 (FIG. 1) is invoked. Suppose that a servable s1 references another servable s2 which is not in the bundle. The consistency checker 120 includes a component for detecting broken hyperlinks which is used, for example, to prevent s1 from
20 being published before s2 is published (i.e. a dangling reference). If s1 and s2 are Web pages, this means

preventing s1 from being published with a broken hypertext link to s2. The consistency checker 120 notifies the author(s) 124 of any dangling references the consistency checker 120 detects within a servable. The author can take appropriate action such as fixing dangling references before publishing, removing servables with dangling references from a bundle, or in some cases allowing servables with dangling references to be published. The consistency checker 120 can be configured to fix dangling references in block 320. The following techniques may be employed by the consistency checker 120:

- (1) Delete dangling hypertext links.
- (2) If a dangling reference is to an object "o" which the consistency checker 120 has the power to generate, try to generate the referenced object. The consistency checker 124 can be configured to recursively invoke itself on "o". The consistency checker 120 may also be invoked at an earlier stage. For example, it is possible to invoke the consistency checker 120 before the page constructor 116 is invoked in block 315.

There are a number of variations of the present invention. For example, it is not necessary to specify all instances of a compound object "o" including a fragment "f" by include directives in the preconstructed representation of "o". Instead, an edge in the ODG from "f" to "o" may be sufficient to define this relationship. Using this approach, authors 124 may specify changes to inclusion relationships by application program interface(API) function calls which modify ODG's appropriately. Alternatively, the authors may specify changes to inclusion relationships via text strings (e.g. stored in a file) which may specify the changes to ODG's. A parser may interpret these text strings. Authors 124 may modify ODG's using other methods as well. The present invention may be employed for non-Web documents as well as Web documents.

It is also possible to have several stages similar to block 230. For example, there may be multiple censors 128; each censor 128 may approve and/or reject content in a different stage.

Referring to FIG. 4, another method for constructing and publishing objects is shown. In step 402, a plurality

of information fragments are provided. In step 404, an order for constructing objects based on at least one inclusion relationship between at least two information fragments is determined. Inclusion relationships among the plurality of information fragments may be specified by authors or by other means. In step 406, the plurality of objects are constructed based on the at least one inclusion relationship and the determined order for constructing the objects. In step 408, verification of an existence and/or a currency of objects which reference other objects is preferably included. In step 410, the steps of examining a plurality of constructed objects, rejecting constructed objects based on content and approving remaining constructed objects for publication is included. In step 412, a step of delaying publication of objects in response to other references objects being non-existent or obsolete may be included. Delay in publication may also be provided for objects which need correction. The objects preferably include Web pages and may further include the step of detecting broken hypertext links between Web pages. In step 414, detecting changes to the objects according to updates

and automatically updating the objects according to the order is preferably performed. The objects or servables are published in step 416. If correction or fixing is needed the method path is returned to previous steps as appropriate.

Having described preferred embodiments of a system and method for publishing dynamic web documents (which are intended to be illustrative and not limiting), it is noted that modifications and variations can be made by persons skilled in the art in light of the above teachings. It is therefore to be understood that changes may be made in the particular embodiments of the invention disclosed which are within the scope and spirit of the invention as outlined by the appended claims. Having thus described the invention with the details and particularity required by the patent laws, what is claimed and desired protected by Letters Patent is set forth in the appended claims.

WHAT IS CLAIMED IS:

1. A method for constructing a plurality of objects comprising the steps of:

- 5 providing at least one fragment;
- determining an order for constructing objects based on at least one inclusion relationship between an object and the at least one fragment; and
- constructing the plurality of objects based on the at least one inclusion relationship and the determined order for constructing the objects.
- 10

2. The method as recited in claim 1, further comprising the step of determining the at least one inclusion relationship between the at least one fragment and the object.
- 15

3. The method as recited in claim 1, further comprising the step of verifying one of an existence and a currency of a first object referenced by a second object.
- 20

4. The method as recited in claim 3, further comprising the step of delaying publication of the second object in response to the first object being one of non-existent and obsolete.

5

5. The method as recited in claim 1, further comprising the steps of:

examining a plurality of constructed objects; and

rejecting at least one constructed object based on content; and

approving publication of at least one of remaining constructed objects.

6. The method as recited in claim 1, wherein the objects include Web pages and further comprising the step of detecting broken hypertext links between Web pages.

7. The method as recited in claim 1, further comprising the steps of:

detecting changes to the objects; and

automatically updating the objects according to the order.

8. A program storage device readable by machine,
tangibly embodying a program of instructions executable by
the machine to perform method steps for constructing a
plurality of objects, the method steps comprising:

providing at least one fragment;

determining an order for constructing objects based on
at least one inclusion relationship between an object and
the at least one fragment; and

constructing the plurality of objects based on the at
least one inclusion relationship and the determined order
for constructing the objects.

9. The program storage device as recited in claim 8,
further comprising the step of determining the at least one
inclusion relationship between the at least one fragment and
the object.

10. The program storage device as recited in claim 8,
further comprising the step of verifying one of an existence
and a currency of a first object referenced by a second
object.

5

11. The program storage device as recited in claim 10,
further comprising the step of delaying publication of the
second object in response to the first object being one of
non-existent and obsolete.

10

12. The program storage device as recited in claim 8,
further comprising the steps of:

examining a plurality of constructed objects; and
rejecting at least one constructed object based on

15

content; and

approving publication of at least one of remaining
constructed objects.

20

13. The program storage device as recited in claim 8,
wherein the objects include Web pages and further comprising

the step of detecting broken hypertext links between Web pages.

14. The program storage device as recited in claim 8,
5 further comprising the steps of:

detecting changes to the objects; and
automatically updating the objects according to the
order.

10 15. A system for constructing a plurality of objects
comprising:

a content authoring system adapted for generating
fragments and providing include relationships between the
fragments;

15 a dependency parser adapted for receiving the
fragments and parsing the include relationships;

a dependency analyzer adapted for determining an
efficient order for constructing the plurality of objects
from the fragments based on the include relationships; and

a constructor adapted for constructing the plurality of objects in the order determined by the dependency analyzer.

5 16. The system as recited in claim 15, wherein the dependency analyzer employs object dependence graphs to determine an order for constructing the objects.

10 17. The system as recited in claim 15, wherein the content authoring system includes fragments input from at least one of humans, machines and combinations of humans and machines.

15 18. The system as recited in claim 15, further comprising a consistency checker for preventing publication of inconsistent objects.

20 19. The system as recited in claim 18, wherein the system constructs Web pages and the consistency checker further includes a component for determining broken hypertext links between the Web pages.

20. The system as recited in claim 15, wherein the constructor includes a page constructor for constructing Web pages from the plurality of objects.

5 21. A method for constructing a plurality of objects comprising the steps of:

 providing a plurality of fragments;

 determining an order for constructing objects based on
at least one inclusion relationship between the plurality of
10 fragments; and

 constructing the plurality of objects based on the at
least one inclusion relationship and the determined order
for constructing the objects.

15 22. A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for constructing a plurality of objects, the method steps comprising:

 providing a plurality of fragments;

determining an order for constructing objects based on
at least one inclusion relationship between the plurality of
fragments; and

5 constructing the plurality of objects based on the at
least one inclusion relationship and the determined order
for constructing the objects.

2025-04-04 14:00:00

METHOD AND SYSTEM FOR PUBLISHING

DYNAMIC WEB DOCUMENTS

ABSTRACT OF THE DISCLOSURE

5 A method for constructing a plurality of objects, in
accordance with the present invention includes the steps of
providing a plurality of fragments, providing at least one
fragment, determining an order for constructing objects
based on at least one inclusion relationship between an
10 object and the at least one fragment and constructing the
plurality of objects based on the at least one inclusion
relationship and the determined order for constructing the
objects. A program storage device is also described. A
system for constructing a plurality of objects, in
15 accordance with the present invention, includes a content
authoring system for generating fragments and providing
include relationships between the fragments. A dependency
parser is included for receiving the fragments and parsing
the include relationships. A dependency analyzer is
20 provided for determining an efficient order for constructing
the plurality of objects from the fragments based on the

include relationships. A constructor constructs the plurality of objects in the order determined by the dependency analyzer.

1/4
Challenger et al.
Y0999-039 (DMS) (8728-254)

100
↙




FIG. 1




FIG. 2

3/4
Y0999-039 (8728-254)




FIG. 3




FIG. 4

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S): James R.H. Challenger, Cameron Ferstat, Arun K. Iyengar,
Paul Reed, Gerald A. Spivak, Karen A. Witting

SERIAL NO.: Unassigned

FILED: Concurrently herewith

FOR: METHOD AND SYSTEM FOR PUBLISHING DYNAMIC
WEB DOCUMENTS


ASSOCIATE POWER OF ATTORNEY

Please recognize **FRANK CHAU**, Reg. No. 34,136; **JAMES J. BITETTO**, Reg. No. 40,513; **FRANK V. DeROSA**, Reg. No. 43,584; and **GASPARE J. RANDAZZO**, Reg. No. 41,528; each of them of **F. CHAU & ASSOCIATES, LLP**, 1900 Hempstead Turnpike, Suite 501, East Meadow, New York 11554 as associate attorneys in the above-mentioned application, with full power to prosecute said application, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

Telephone calls should be made to Frank Chau by dialing (516) 357-0091.

**All written communications are to be sent to Frank Chau, Esq.,
F. Chau & Associates, LLP, 1900 Hempstead Turnpike, Suite 501, East Meadow,
New York 11554.**

International Business Machines
Corporation
T.J. Watson Research Center
Route 134 and Kitchawan Road
Yorktown Heights, New York 10598



Manny W. Schechter
Registration No. 31,722
David M. Shofi
Registration No. 39,835
Attorney for Applicant(s)